



SAGAR CEMENTS (R) LIMITED

(A wholly owned subsidiary of SAGAR CEMENTS LIMITED)
(formerly known as BMM CEMENTS LIMITED)

Date: 29-01-2020

Ref: SCRI./BMW /Form-IV/January-2019- December-2019

To

THE Environmental Engineer
A.P.Pollution Control Board,
Regional Office,
Plot No: 15.# 4-2-740 Rajahamsa B.I.T Villas,
Tirumala Nagar, Anantapur,
Phone: 226066

Dear Sir,

Sub: Submission of Bio-medical Waste returns in Form-IV of M/s. Sagar Cements (R) Limited d
located at Gudipadu (Village & Post), Yadiki (Mandal), and Anantapur (District),
AndhraPradesh-515408.

Ref: BMW Authorisation No: Order No: ATP-24/APPCB/RO/ATP/BMWM/2019-543
Date of issue: 16-09-2019 Validity: 31-08-2025.


With reference to the above cited subject, we are herewith enclosed the Bio-medical
waste returns for the period of January-2019 to December-2019 in Form-IV of M/s. Sagar
Cements (R) Limited located at Gudipadu (Village & Post), Yadiki (Mandal), and Anantapur
(District), Andhra Pradesh.

This is for your kind information and we request you to acknowledge the receipt of the same.

Thanking you

Yours faith fully

For M/s. Sagar Cements (R) Limited


E.Pandu Ranga Reddy

Assistant Vice-President (Works).

Enclosure: Form-IV, BMW order,  Month wise Waste generation annexure copy



Admin. Office: Plot No. 111, Road No.10, Jubilee Hills, Hyderabad - 500033.

Phone : +91-40-23351571, 23356572 Fax : +91-40-23356573 Info-r@sagarcements.in www.sagarcements-r.in

Registered Office: # 19/13, Old No.19/5, 19/6, 3rd Floor, Western Side, Kareem Towers, SRT Road, (Cunningham Road), Bengaluru-560052, Karnataka. Ph: 080-4115

Factory: Gudipadu Village and Post, Yadiki Mandal, Ananthapur District, Andhra Pradesh-515408 Phone: 08558 200272

Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars	
1.	Particulars of the Occupier	
	(i) Name of the authorised person (occupier or operator of facility)	E.Pandu Ranga Reddy Assistant Vice President-Works
	(ii) Name of HCF or CBMWTF	Sagar Cements (R) Limited Occupational Health Center (Dispensary)
	(iii) Address for Correspondence	Sagar Cements (R) Limited Gudipadu-Village & Post, Yadiki-Mandal, Anantapur-District
	(iv) Address of Facility	M/s.Sriven Environ Technologies Sy.No.277-1A,Dumpetla-Village Battalapalli-Mandal, Anantapur-District
	(v) Tel. No, Fax. No	+ 91 9912229211 08558-200272
	(vi) E-mail ID	rangaep@sagarcements.in
	(vii) URL of Website	www.sagarcements-r.in
	(viii) GPS coordinates of HCF or CBMWTF	15°03'59.97"N 77°58'54.67"E
	(ix) Ownership of HCF or CBMWTF	Private
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	Order No: ATP- 24/APPCB/RO/ATP/BMWM/2019-543 Dated: 16-09-2019
	(xi). Status of Consents under Water Act and Air Act	NA
	Type of Health Care Facility	Dispensary
	(i) Bedded Hospital	02
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any Other)	NA
	(iii) License number and its date of expiry	NA
3.	Details of CBMWTF	
	(i) Number healthcare facilities covered by CBMWTF	NA
	(ii) No of beds covered by CBMWTF	NA
	(iii) Installed treatment and disposal capacity of CBMWTF:	NA
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	NA
4	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow Category 0.382 Kg/Month
		Red Category 0.962 Kg/Month

Blue Category	0.25 Kg/Month

5. Details of the Storage, treatment, transportation, process Disposal Facility

(i) Details of the on-site storage facility	Size	Dispensary (HCF)
	Capacity	02 Bed HCF
	Provision Of on-site storage	

Disposal Facilities	Type of treatment equipment	No. Of Units	Capacity Kg/Day	Quantity Treated or Disposed in Kg/Annum
Plasma Pyrolysis	NILL	NA	NA	
Autoclaves	Nill	NA	NA	
Microwave	NILL	NA	NA	
Hydroclave	NILL	NA	NA	
Shredder	NILL	NA	NA	
Needle tip cutter or Destroyer	1	0.02	4.81 Kg/Annum	
Sharps	NILL	NA	NA	
Encapsulation or concrete pit	NILL	NA	NA	
Deep burial pits	NILL	NA	NA	
Chemical disinfection:	NILL	NA	NA	
Any other treatment equipment:	NA	NA	NA	

(iii)Quantity of recyclable wastes sold to authorised recyclers after treatment in Kg per Annum	Red Category (like plastic, glass etc.): NA
---	--

(iv)No of vehicles used for collection and transportation of biomedical waste	ONE Vehicle AP 39 TA 6007
---	--

(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	Quantity Generated		Where Disposed
	Incineration Ash	NA	NA
	ETP Sludge	NA	NA

(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	M/s.Sriven Environ Technologies Sy.No.277-1A,Dumpetla-Village Battalapalli-Mandal, Anantapur-District
--	--

(vii)List of member HCF not handed over Bio-Medical waste	NA
---	-----------

6 Do you have Bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	NA
---	-----------

7	Details trainings conducted on BMW	NA
	(i) Number of trainings conducted on BMW Management	NA
	(ii) Number of personnel trained	02
	(iii) Number of personnel trained at the time of induction	02
	(iv) Number of personnel not undergone any trainings so far	NA
	(v) Whether Standard manual for training is available?	NA
8	Details of the accident occurred during the year	NA
	(i) Number of Accidents occurred	NA
	(ii) Number of the persons affected	NA
	(iii) Remedial Action taken (Please attach details if any)	NA
	(iv) Any Fatality occurred, details.	NILL
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	NA
	Details of Continuous online emission monitoring systems installed	NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	NA
11	Is the disinfection method or sterilization meeting the log 4 Standards? How many times you have not met the standards in a year?	NA
12	Any other relevant information	(Air Pollution Control Devices attached with the Incinerator): NA

Certified that the above report is for the period from **January-2019 to December 2019** are true to the best of my Knowledge.

Name and Signature of the Head of the Institution

Date: -28-01-2020
Place: -Gudipadu

For SAGAR CEMENTS (R) LTD.

E.F. Ranga Reddy
Ass. Vice President

[Handwritten signature]